

**Ontario Federation of Agriculture (OFA) - PRICE LIST**  
**PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL APRIL 30, 2024**



**\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase**

**This OFA Member discount cannot be combined with any other advertised discounts**

**GENERATORS**

| MODEL                         | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |                       |
|-------------------------------|--|----------------|---------------------|--------------------|-----------------------|
| <b><u>INVERTER SERIES</u></b> |  |                |                     |                    |                       |
| EU1000i                       | Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability  | \$1,159        | <b>\$44</b>         | \$1,115            |                       |
| EU2200                        | Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)  | \$1,489        | <b>\$58</b>         | \$1,431            |                       |
| EU2200 (Companion)            | Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)  | \$1,589        | <b>\$62</b>         | \$1,527            |                       |
| EB2200                        | Manual Start, GXR120 commercial series engine, GFCI Duplex Receptacle, Neutral Bonded, Compliant with CCOHS (Canadian Centre for Occupational Health and Safety) jobsite regulations, Built-in hourmeter   | \$1,559        | <b>\$60</b>         | \$1,499            |                       |
| EU3200i                       | Manual Start, GX130 engine, 12 VDC Charge Cable Std., Honda My Generator app + Bluetooth® capability available for both iPhone and Android, Parallel connect capability with another EU3200iC (*optional parallel operation cable required, part# TBD - available winter 2022) | \$3,289        | <b>\$129</b>        | \$3,160            |                       |
| EU3000is                      | Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits   | \$2,699        | <b>\$242</b>        | <b>\$2,457</b>     | Includes \$400 Rebate |
| EU7000is                      | Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco-Throttle Std., Large tank (19.2 L), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits                                    | \$5,299        | <b>\$228</b>        | <b>\$5,071</b>     | Includes \$500 Rebate |
| <b><u>PREMIUM SERIES</u></b>  |  |                |                     |                    |                       |
| EB5000                        | Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles  | \$2,899        | <b>\$113</b>        | \$2,786            |                       |
| EM5000S                       | Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging                                      | \$3,099        | <b>\$121</b>        | \$2,978            |                       |
| EB6500                        | Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles  | \$3,419        | <b>\$133</b>        | \$3,286            |                       |
| EM6500S                       | Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging                                      | \$3,619        | <b>\$141</b>        | \$3,478            |                       |
| EB10000                       | Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles  | \$6,379        | <b>\$250</b>        | \$6,129            |                       |



**\*INCLUDES FREIGHT & PDI - TAXES EXTRA**

## Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL APRIL 30, 2024

\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

# HONDA

### WATER PUMPS

| MODEL                             | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |
|-----------------------------------|--|----------------|---------------------|--------------------|
| <b><u>VOLUME PUMPS</u></b>        |  |                |                     |                    |
| WX10                              | 25.4 mm (1 in.), output 120 litres (26.4 Imp. gal.) / min., 1" NPT- 3/4 " garden hose adapter included | \$615          | <b>\$0</b>          | \$615              |
| WX15                              | 1.5 in., Oil Alert   | \$749          | <b>\$0</b>          | \$749              |
| WB20                              | Deluxe 2 in., Oil Alert, Hose strainer included  | \$615          | <b>\$28</b>         | \$587              |
| WB30                              | Deluxe 3 in., Oil Alert, Hose strainer included  | \$799          | <b>\$37</b>         | \$762              |
| <b><u>HIGH PRESSURE PUMPS</u></b> |  |                |                     |                    |
| WH15                              | 1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)                                     | \$939          | <b>\$44</b>         | \$895              |
| WH20                              | 2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)                                      | \$1,039        | <b>\$49</b>         | \$990              |
| <b><u>TRASH PUMPS</u></b>         |  |                |                     |                    |
| WT20                              | 2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.                                 | \$1,869        | <b>\$91</b>         | \$1,778            |
| WT30                              | 3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.                                 | \$2,269        | <b>\$111</b>        | \$2,158            |
| WT40                              | 4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.                                 | \$2,879        | <b>\$141</b>        | \$2,738            |



\*INCLUDES FREIGHT & PDI - TAXES EXTRA

## Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL APRIL 30, 2024

\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

### LAWNMOWERS

| MODEL   | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |
|---|--|----------------|---------------------|--------------------|
| <b><u>21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS</u></b> |  |                |                     |                    |
| HRS216PKC   | GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation   | \$479          | \$0                 | \$479              |
| <b><u>21" STEEL DECK - REAR BAG / MULCHING MODELS</u></b>     |  |                |                     |                    |
| HRN216PKC   | GCV170 with exclusive CycloFlow™ design, Push type, Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment   | \$749          | \$0                 | \$749              |
| HRN216VKC   | GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment   | \$879          | \$0                 | \$879              |
| HRN216VYC   | GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment | \$949          | \$0                 | \$949              |
| HRN216VLC   | GCV170 with exclusive CycloFlow™ design, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment                 | \$1,029        | \$0                 | \$1,029            |
| <b><u>21" NEXITE DECK - REAR BAG / "VERSAMOW"</u></b>         |  |                |                     |                    |
| HRX217HYC   | GCV200, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation   | \$1,199        | \$34                | \$1,165            |
| HRX217HZC   | GCV200, 12 VDC Elec. Start, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation   | \$1,379        | \$40                | \$1,339            |
| <b><u>21" COMMERCIAL STEEL DECK - REAR BAG MODELS</u></b>     |  |                |                     |                    |
| HRC216HXH   | GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation   | \$1,729        | \$50                | \$1,679            |

\*INCLUDES FREIGHT & PDI - TAXES EXTRA



# Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL APRIL 30, 2024

**\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase**

**This OFA Member discount cannot be combined with any other advertised discounts**

# HONDA

## TILLERS

| MODEL  | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |
|--------|--|----------------|---------------------|--------------------|
| FG110  | GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments        | \$619          | \$0                 | \$619              |
| F220   | GXV57, 21.5", Mid Tine, 1 Forward Speed                                    | \$1,289        | \$0                 | \$1,289            |
| F501   | GX160, 36", Mid Tine, 2 Forward Speeds & Reverse                           | \$1,579        | \$46                | \$1,533            |
| FR650  | GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse | \$2,749        | \$81                | \$2,668            |
| FRC800 | GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse        | \$3,549        | \$105               | \$3,444            |



## TRIMMERS / BRUSH CUTTERS

| MODEL   | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |
|---------|--|----------------|---------------------|--------------------|
| HHT25SL | GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Shoulder Harness Std.   | \$429          | \$0                 | \$429              |
| HHT25SU | GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Professional Double Loop Harness Std.     | \$599          | \$0                 | \$599              |
| HHT35SU | GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Professional Double Loop Harness Std. | \$699          | \$20                | \$679              |



## HONDA VERSATTACH

| MODEL              | DESCRIPTION   | Selling Price* | OFA Member Discount | **OFA Member Price |
|--------------------|---|----------------|---------------------|--------------------|
| <b>POWER HEADS</b> |   |                |                     |                    |
| UMC425             | GX25, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.   | \$459          | \$0                 | \$459              |
| UMC435             | GX35, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.   | \$539          | \$0                 | \$539              |
| <b>ATTACHMENTS</b> |   |                |                     |                    |
| SSBCC              | Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105").                                       | \$169          | \$0                 | \$169              |
| SSHHC              | Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.                | \$269          | \$0                 | \$269              |
| SSHLC              | Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.                  | \$299          | \$0                 | \$299              |
| SSBLC              | Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).   | \$169          | \$0                 | \$169              |
| SSETC              | Edger (curved shaft); Blade length 20 cm (7.87"), Height adjustment function.   | \$219          | \$0                 | \$219              |
| SSCLC              | Cultivator; Tine diameter 24 cm (9.4"), Tilling width 16.6 cm (6.5").   | \$299          | \$0                 | \$299              |
| SSPPC              | Pruner; Guide bar length 30.5 cm (12"), Automatic oiler with flow rate adjustment, Translucent oil reservoir.   | \$269          | \$0                 | \$269              |
| SSESSC             | Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach   | \$109          | \$0                 | \$109              |
| SSESLC             | Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach  | \$119          | \$0                 | \$119              |
| SSBRC              | Bristle Brush; Diameter 25 cm (9.8"), Working width 60 cm (23.6"), Total weight (Attachment complete with deflector and shaft tube) 6.3 kg (13.8 lb.).    | \$479          | \$0                 | \$479              |
| SSSWC              | Power Sweeper; Diameter 26.5 cm (10.4"), Working width 59 cm (22.3"), Total weight (Attachment complete with deflector and shaft tube) 7.2 kg (15.8 lb.). | \$449          | \$0                 | \$449              |



\*INCLUDES FREIGHT & PDI - TAXES EXTRA

# Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL APRIL 30, 2024

**\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase**

**This OFA Member discount cannot be combined with any other advertised discounts**



## SNOWBLOWERS

| MODEL       | DESCRIPTION  | Selling Price* | OFA Member Discount | **OFA Member Price |
|-------------|--|----------------|---------------------|--------------------|
| HS720C      | 20", Single Stage, GC190 Eng., Snow Director Dual Chute Control  | \$1,079        | \$0                 | \$1,079            |
| HS720CS     | 20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control  | \$1,229        | \$0                 | \$1,229            |
| HS720CC     | 20", Single Stage, GS190 Eng. High performance / lightweight commercial unit   | \$1,179        | \$33                | \$1,146            |
| HSS622CTD1  | 22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light  | \$2,929        | \$83                | \$2,846            |
| HSS724CT    | 24" Track drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction  | \$3,739        | \$108               | \$3,631            |
| HSS724CTD   | 24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction   | \$4,189        | \$121               | \$4,068            |
| HSS928CW    | 28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height.   | \$3,789        | \$109               | \$3,680            |
| HSS928CT    | 28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,   | \$4,339        | \$126               | \$4,213            |
| HSS928CTD   | 28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction   | \$4,789        | \$139               | \$4,650            |
| HSS1332CT   | 32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,   | \$4,999        | \$145               | \$4,854            |
| HSS1332CTD  | 32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction | \$5,199        | \$151               | \$5,048            |
| HSM1336iCTD | 36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector   | \$9,229        | \$272               | \$8,957            |



\*INCLUDES FREIGHT & PDI - TAXES EXTRA