# PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2022

\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

	H	Or	JD	A
--	---	----	----	---

	GENERATORS				I
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price	
	INVERTER SERIES				
EU1000i	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability	\$1,099	<b>\$0</b>	\$1,099	
EU2200	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,429	\$57	\$1,372	
EU2200 (Companion)	Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,529	\$61	\$1,468	
EB2200	Manual Start, GXR120 commercial series engine, GFCI Duplex Receptacle, Neutral Bonded, Compliant with CCOHS (Canadian Centre for Occupational Health and Safety) jobsite regulations, Built-in hourmeter	\$1,499	\$60	\$1,439	
EG2800iC	Manual start, lightweight inverter, 30A receptacle, fuel gauge, 8 L tank	\$1,399	\$0	\$1,399	
EU3000iK	Manual Start, 12 VDC Charge Cable Std., Built-in Wheels, Unique Folding Handle, Recessed Convenience Light, Built-in hourmeter	\$2,829	\$113	\$2,716	
EU3200i	Manual Start, GX130 engine, 12 VDC Charge Cable Std., Honda My Generator app + Bluetooth® capability available for both iPhone and Android, Parallel connect capability with another EU3200iC (*optional parallel operation cable required, part# TBD - available winter 2022)	\$3,199	<b>\$0</b>	\$3,199	
EU3000is	Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits	\$2,999	\$120	\$2,879	
EU7000is	Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco-Throttle Std., Large tank (19.2 L), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits	\$5,649	<b>\$0</b>	\$5,649	
	ECONOMICAL SERIES				
	PREMIUM SERIES				
EB5000	Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$2,799	\$112	\$2,687	
EM5000S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$2,999	\$120	\$2,879	
EB6500	Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$3,299	\$132	\$3,167	
EM6500S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$3,499	\$140	\$3,359	
EB10000	Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles	\$6,199	\$248	\$5,951	





PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2022

\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

### WATER PUMPS

MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price
	VOLUME PUMPS			
WX10	25.4 mm (1 in.), output 120 litres (26.4 lmp. gal.) / min., 1" NPT- $\frac{3}{4}$ " garden hose adapter included	\$559	<b>\$0</b>	\$559
WX15	1.5 in., Oil Alert	\$689	<b>\$0</b>	\$689
WB20	Deluxe 2 in., Oil Alert, Hose strainer included	\$559	\$28	\$531
WB30	Deluxe 3 in., Oil Alert, Hose strainer included	\$739	\$37	\$702
	HIGH PRESSURE PUMPS			
WH15	1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)	\$879	\$44	\$835
WH20	2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)	\$979	\$49	\$930
	CHEMICAL PUMP			
WMP20	2 in., Multi-purpose centrifugal self-priming (over 70 industrial & agricultural liquid chemicals), Oil Alert, Output 833 litres (183 lmp. gal.) / min capacity, Isolation mounted engine & pump, Full frame protection	\$739	\$0	\$739
	TRASH PUMPS			
WT20	2 in Oil Alert Output (456 Imp. Cel. / min.) Full commercial Spec	<b>#4.700</b>	222	<b>#4.700</b>
VV 12U	2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.	\$1,799	\$90	\$1,709
WT30	3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.	\$2,199	\$110	\$2,089
WT40	4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.	\$2,799	\$140	\$2,659



HONDA



PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES. PRICES SHOWN ARE NOT APPLICABLE IN QUEBEC

### PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2022

\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts



MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price
	21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS			
HRS216PKC	GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation	\$429	\$0	\$429
	21" STEEL DECK - REAR BAG / MULCHING MODELS			
HRN216PKC	GCV170 with exclusive CycloFlow <sup>™</sup> design, Push type, Auto choke, MicroCutTM Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$619	\$120	\$499
HRN216VKC	GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke, MicroCutTM Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$719	<b>\$0</b>	\$719
HRN216VYC	GCV170 with exclusive CycloFlow <sup>™</sup> design, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCutTM Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$829	\$0	\$829
HRN216VLC	GCV170 with exclusive CycloFlow <sup>™</sup> design, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCutTM Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$899	\$0	\$899
	21" NEXITE DECK - REAR BAG / "VERSAMOW"			
HRX217HYC	GCV200, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,079	\$32	\$1,047
HRX217HZC	GCV200, 12 VDC Elec. Start, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,199	\$36	\$1,163
	21" COMMERCIAL STEEL DECK - REAR BAG MODELS			
HRC216HXC	GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation	\$1,449	\$43	\$1,406



HONDA







PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES. PRICES SHOWN ARE NOT APPLICABLE IN QUEBEC

### PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2022

 $^{*}$ The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts



	TILLERS				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price	
FG110	GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments	\$579	<b>\$0</b>	\$579	
F220	GXV57, 21.5", Mid Tine, 1 Forward Speed	\$1,249	<b>\$0</b>	\$1,249	
F501	GX160, 36", Mid Tine, 2 Forward Speeds & Reverse	\$1,529	\$46	\$1,483	
FR650	GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse	\$2,699	\$81	\$2,618	
FRC800	GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse	\$3,499	\$105	\$3,394	
	TRIMMERS / BRUSH CUTTERS				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price	
HHT25SL	GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Shoulder Harness Std.	\$389	<b>\$0</b>	\$389	
HHT25SU	GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$559	<b>\$0</b>	\$559	
HHT35SU	GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$659	\$20	\$639	
	HONDA VERSATTACH				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price	
UMC425	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$419	<b>\$0</b>	\$419	
UMC435	GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$499	<b>\$0</b>	\$499	
SSBCC	ATTACHMENTS  Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105").	\$169	<b>\$0</b>	\$169	
SSHHSC	Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$269	<b>\$0</b>	\$269	
SSHHLC	Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$299	\$0	\$299	
SSBLC	Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).	\$169	<b>\$0</b>	\$169	
SSETC	Edger (curved shaft); Blade length 20 cm (7.87"), Height adjustment function.	\$219	<b>\$0</b>	\$219	(
SSCLC	Cultivator; Tine diameter 24 cm (9.4"), Tilling width 16.6 cm (6.5").	\$299	<b>\$0</b>	\$299	
SSPPC	Pruner; Guide bar length 30.5 cm (12"), Automatic oiler with flow rate adjustment, Translucent oil reservoir.	\$269	<b>\$0</b>	\$269	
SSESSC	Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach	\$109	<b>\$0</b>	\$109	
SSESLC	Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach	\$119	<b>\$0</b>	\$119	
SSBRC	Bristle Brush; Diameter 25 cm (9.8"), Working width 60 cm (23.6"), Total weight (Attachment complete with deflector and shaft tube) 6.3 kg (13.8 lb.).	\$479	\$0	\$479	
SSSWC	Power Sweeper; Diameter 26.5 cm (10.4"), Working width 59 cm (22.3"), Total weight (Attachment complete with deflector and shaft tube) 7.2 kg (15.8 lb.).	\$449	<b>\$0</b>	\$449	







### PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2022

\*The OFA Member price includes all promotional discounts in effect at the time of purchase This OFA Member discount cannot be combined with any other advertised discounts



#### **SNOWBLOWERS**

MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price
HS720C	20", Single Stage, GC190 Eng., Snow Director Dual Chute Control	\$999	<b>\$0</b>	\$999
HS720CS	20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control	\$1,149	<b>\$0</b>	\$1,149
HS720CC	20", Single Stage, GS190 Eng, High performance / lightweight commercial unit	\$1,099	\$33	\$1,066
HSS622CTD1	22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,749	\$82	\$2,667
HSS724CTD	24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,999	\$120	\$3,879
HSS928CW	28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Batteryless), Oversized Auger Housing Height.	\$3,599	\$108	\$3,491
HSS928CT	28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,149	\$124	\$4,025
HSS928CTD	28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,599	\$138	\$4,461
HSS1332CT	32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,799	\$144	\$4,655
HSS1332CTD	32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,999	\$150	\$4,849
HSM1336iCTD	36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector	\$8,999	\$270	\$8,729

PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES. PRICES SHOWN ARE NOT APPLICABLE IN QUEBEC