

## Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2023

\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

# HONDA

### GENERATORS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<b><u>INVERTER SERIES</u></b>				
EU1000i	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability	\$1,149	<b>\$0</b>	\$1,149
EU2200	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,479	<b>\$57</b>	\$1,422
EU2200 (Companion)	Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,579	<b>\$61</b>	\$1,518
EB2200	Manual Start, GXR120 commercial series engine, GFCI Duplex Receptacle, Neutral Bonded, Compliant with CCOHS (Canadian Centre for Occupational Health and Safety) jobsite regulations, Built-in hourmeter	\$1,549	<b>\$60</b>	\$1,489
EG2800iC	Manual start, lightweight inverter, 30A receptacle, fuel gauge, 8 L tank	\$1,459	<b>\$0</b>	\$1,459
EU3000iK	Manual Start, 12 VDC Charge Cable Std., Built-in Wheels, Unique Folding Handle, Recessed Convenience Light, Built-in hourmeter	\$2,889	<b>\$113</b>	\$2,776
EU3200i	Manual Start, GX130 engine, 12 VDC Charge Cable Std., Honda My Generator app + Bluetooth® capability available for both iPhone and Android, Parallel connect capability with another EU3200iC (*optional parallel operation cable required, part# TBD - available winter 2022)	\$3,259	<b>\$0</b>	\$3,259
EU3000is	Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits	\$3,069	<b>\$120</b>	\$2,949
EU7000is	Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco-Throttle Std., Large tank (19.2 L), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits	\$5,739	<b>\$0</b>	\$5,739
<b><u>ECONOMICAL SERIES</u></b>				
<b><u>PREMIUM SERIES</u></b>				
EB5000	Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$2,879	<b>\$112</b>	\$2,767
EM5000S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$3,079	<b>\$120</b>	\$2,959
EB6500	Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$3,389	<b>\$132</b>	\$3,257
EM6500S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$3,589	<b>\$140</b>	\$3,449
EB10000	Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles	\$6,319	<b>\$248</b>	\$6,071

\*INCLUDES FREIGHT & PDI - TAXES EXTRA



## Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2023

\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

# HONDA

### WATER PUMPS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<b><u>VOLUME PUMPS</u></b>				
WX10	25.4 mm (1 in.), output 120 litres (26.4 Imp. gal.) / min., 1" NPT- 3/4 " garden hose adapter included	\$609	<b>\$0</b>	\$609
WX15	1.5 in., Oil Alert	\$739	<b>\$0</b>	\$739
WB20	Deluxe 2 in., Oil Alert, Hose strainer included	\$609	<b>\$28</b>	\$581
WB30	Deluxe 3 in., Oil Alert, Hose strainer included	\$789	<b>\$37</b>	\$752
<b><u>HIGH PRESSURE PUMPS</u></b>				
WH15	1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)	\$929	<b>\$44</b>	\$885
WH20	2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)	\$1,029	<b>\$49</b>	\$980
<b><u>CHEMICAL PUMP</u></b>				
WMP20	2 in., Multi-purpose centrifugal self-priming (over 70 industrial & agricultural liquid chemicals), Oil Alert, Output 833 litres (183 Imp. gal.) / min capacity, Isolation mounted engine & pump, Full frame protection	\$789	<b>\$0</b>	\$789
<b><u>TRASH PUMPS</u></b>				
WT20	2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.	\$1,849	<b>\$90</b>	\$1,759
WT30	3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.	\$2,249	<b>\$110</b>	\$2,139
WT40	4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.	\$2,849	<b>\$140</b>	\$2,709



\*INCLUDES FREIGHT & PDI - TAXES EXTRA

## Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2023

\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

### LAWNMOWERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<b><u>21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS</u></b>				
HRS216PKC	GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation	\$479	\$0	\$479
<b><u>21" STEEL DECK - REAR BAG / MULCHING MODELS</u></b>				
HRN216PKC	GCV170 with exclusive CycloFlow™ design, Push type, Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$749	\$0	\$749
HRN216VKC	GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$879	\$0	\$879
HRN216VYC	GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$949	\$0	\$949
HRN216VLC	GCV170 with exclusive CycloFlow™ design, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$1,029	\$0	\$1,029
<b><u>21" NEXITE DECK - REAR BAG / "VERSAMOW"</u></b>				
HRX217HYC	GCV200, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,199	\$34	\$1,165
HRX217HZC	GCV200, 12 VDC Elec. Start, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,379	\$40	\$1,339
<b><u>21" COMMERCIAL STEEL DECK - REAR BAG MODELS</u></b>				
HRC216HXH	GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation	\$1,729	\$50	\$1,679

\*INCLUDES FREIGHT & PDI - TAXES EXTRA



# Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2023

**\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase**

**This OFA Member discount cannot be combined with any other advertised discounts**

# HONDA

## TILLERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
FG110	GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments	\$619	\$0	\$619
F220	GXV57, 21.5", Mid Tine, 1 Forward Speed	\$1,289	\$0	\$1,289
F501	GX160, 36", Mid Tine, 2 Forward Speeds & Reverse	\$1,579	\$46	\$1,533
FR650	GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse	\$2,749	\$81	\$2,668
FRC800	GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse	\$3,549	\$105	\$3,444



## TRIMMERS / BRUSH CUTTERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
HHT25SL	GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Shoulder Harness Std.	\$429	\$0	\$429
HHT25SU	GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$599	\$0	\$599
HHT35SU	GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$699	\$20	\$679



## HONDA VERSATTACH

MODEL	DESCRIPTION	All-In Price*	OFA Member Discount	**OFA Member Price
<b>POWER HEADS</b>				
UMC425	GX25, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.	\$459	\$0	\$459
UMC435	GX35, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.	\$539	\$0	\$539
<b>ATTACHMENTS</b>				
SSBCC	Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105").	\$169	\$0	\$169
SSHHC	Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$269	\$0	\$269
SSHLC	Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$299	\$0	\$299
SSBLC	Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).	\$169	\$0	\$169
SSETC	Edger (curved shaft); Blade length 20 cm (7.87"), Height adjustment function.	\$219	\$0	\$219
SSCLC	Cultivator; Tine diameter 24 cm (9.4"), Tilling width 16.6 cm (6.5").	\$299	\$0	\$299
SSPPC	Pruner; Guide bar length 30.5 cm (12"), Automatic oiler with flow rate adjustment, Translucent oil reservoir.	\$269	\$0	\$269
SSESSC	Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach	\$109	\$0	\$109
SSESLC	Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach	\$119	\$0	\$119
SSBRC	Bristle Brush; Diameter 25 cm (9.8"), Working width 60 cm (23.6"), Total weight (Attachment complete with deflector and shaft tube) 6.3 kg (13.8 lb.).	\$479	\$0	\$479
SSSWC	Power Sweeper; Diameter 26.5 cm (10.4"), Working width 59 cm (22.3"), Total weight (Attachment complete with deflector and shaft tube) 7.2 kg (15.8 lb.).	\$449	\$0	\$449



\*INCLUDES FREIGHT & PDI - TAXES EXTRA

# Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2023

**\*\*The OFA Member price includes all promotional discounts in effect at the time of purchase**

**This OFA Member discount cannot be combined with any other advertised discounts**

# HONDA

## SNOWBLOWERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
HS720C	20", Single Stage, GC190 Eng., Snow Director Dual Chute Control	\$1,079	<b>\$0</b>	\$1,079
HS720CS	20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control	\$1,229	<b>\$0</b>	\$1,229
HS720CC	20", Single Stage, GS190 Eng, High performance / lightweight commercial unit	\$1,179	<b>\$33</b>	\$1,146
HSS622CTD1	22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,929	<b>\$83</b>	\$2,846
HSS724CT	24" Track drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,739	<b>\$108</b>	\$3,631
HSS724CTD	24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,189	<b>\$121</b>	\$4,068
HSS928CW	28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height.	\$3,789	<b>\$109</b>	\$3,680
HSS928CT	28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,339	<b>\$126</b>	\$4,213
HSS928CTD	28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,789	<b>\$139</b>	\$4,650
HSS1332CT	32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,999	<b>\$145</b>	\$4,854
HSS1332CTD	32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$5,199	<b>\$151</b>	\$5,048
HSM1336iCTD	36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector	\$9,229	<b>\$272</b>	\$8,957



\*INCLUDES FREIGHT & PDI - TAXES EXTRA