

Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2023

**The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

HONDA

GENERATORS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<u>INVERTER SERIES</u>				
EU1000i	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability	\$1,159	\$0	\$1,159
EU2200	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,489	\$58	\$1,431
EU2200 (Companion)	Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,589	\$62	\$1,527
EB2200	Manual Start, GXR120 commercial series engine, GFCI Duplex Receptacle, Neutral Bonded, Compliant with CCOHS (Canadian Centre for Occupational Health and Safety) jobsite regulations, Built-in hourmeter	\$1,559	\$60	\$1,499
EG2800iC	Manual start, lightweight inverter, 30A receptacle, fuel gauge, 8 L tank	\$1,459	\$0	\$1,459
EU3000iK	Manual Start, 12 VDC Charge Cable Std., Built-in Wheels, Unique Folding Handle, Recessed Convenience Light, Built-in hourmeter	\$2,889	\$113	\$2,776
EU3200i	Manual Start, GX130 engine, 12 VDC Charge Cable Std., Honda My Generator app + Bluetooth® capability available for both iPhone and Android, Parallel connect capability with another EU3200iC (*optional parallel operation cable required, part# TBD - available winter 2022)	\$3,289	\$0	\$3,289
EU3000is	Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits	\$3,099	\$121	\$2,978
EU7000is	Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco-Throttle Std., Large tank (19.2 L), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits	\$5,799	\$0	\$5,799
<u>ECONOMICAL SERIES</u>				
<u>PREMIUM SERIES</u>				
EB5000	Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$2,899	\$113	\$2,786
EM5000S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$3,099	\$121	\$2,978
EB6500	Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$3,419	\$133	\$3,286
EM6500S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$3,619	\$141	\$3,478
EB10000	Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles	\$6,379	\$250	\$6,129

*INCLUDES FREIGHT & PDI - TAXES EXTRA



Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2023

**The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

HONDA

WATER PUMPS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<u>VOLUME PUMPS</u>				
WX10	25.4 mm (1 in.), output 120 litres (26.4 Imp. gal.) / min., 1" NPT- 3/4 " garden hose adapter included	\$615	\$0	\$615
WX15	1.5 in., Oil Alert	\$749	\$0	\$749
WB20	Deluxe 2 in., Oil Alert, Hose strainer included	\$615	\$28	\$587
WB30	Deluxe 3 in., Oil Alert, Hose strainer included	\$799	\$37	\$762
<u>HIGH PRESSURE PUMPS</u>				
WH15	1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)	\$939	\$44	\$895
WH20	2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)	\$1,039	\$49	\$990
<u>CHEMICAL PUMP</u>				
WMP20	2 in., Multi-purpose centrifugal self-priming (over 70 industrial & agricultural liquid chemicals), Oil Alert, Output 833 litres (183 Imp. gal.) / min capacity, Isolation mounted engine & pump, Full frame protection	\$789	\$0	\$789
<u>TRASH PUMPS</u>				
WT20	2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.	\$1,869	\$91	\$1,778
WT30	3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.	\$2,269	\$111	\$2,158
WT40	4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.	\$2,879	\$141	\$2,738

*INCLUDES FREIGHT & PDI - TAXES EXTRA



Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2023

**The OFA Member price includes all promotional discounts in effect at the time of purchase

This OFA Member discount cannot be combined with any other advertised discounts

LAWNMOWERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
<u>21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS</u>				
HRS216PKC	GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation	\$479	\$0	\$479
<u>21" STEEL DECK - REAR BAG / MULCHING MODELS</u>				
HRN216PKC	GCV170 with exclusive CycloFlow™ design, Push type, Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$749	\$0	\$749
HRN216VKC	GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$879	\$0	\$879
HRN216VYC	GCV170 with exclusive CycloFlow™ design, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$949	\$0	\$949
HRN216VLC	GCV170 with exclusive CycloFlow™ design, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCut™ Twin blade system, EZ folding Handle, 3-in-1 mowing system; bagging, mulching or rear discharge with the exclusive 3-in-1 Clip Director®, Dual lever cutting height adjustment	\$1,029	\$0	\$1,029
<u>21" NEXITE DECK - REAR BAG / "VERSAMOW"</u>				
HRX217HYC	GCV200, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,199	\$34	\$1,165
HRX217HZC	GCV200, 12 VDC Elec. Start, Self-propelled; Hydrostatic Trans., Rust-free NeXite® mowing deck, Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, Versamow System with Clip Director®, 4 in 1, CARB tier 3 Regulation	\$1,379	\$40	\$1,339
<u>21" COMMERCIAL STEEL DECK - REAR BAG MODELS</u>				
HRC216HXH	GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation	\$1,729	\$50	\$1,679

*INCLUDES FREIGHT & PDI - TAXES EXTRA



Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2023

****The OFA Member price includes all promotional discounts in effect at the time of purchase**

This OFA Member discount cannot be combined with any other advertised discounts

HONDA

TILLERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
FG110	GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments	\$619	\$0	\$619
F220	GXV57, 21.5", Mid Tine, 1 Forward Speed	\$1,289	\$0	\$1,289
F501	GX160, 36", Mid Tine, 2 Forward Speeds & Reverse	\$1,579	\$46	\$1,533
FR650	GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse	\$2,749	\$81	\$2,668
FRC800	GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse	\$3,549	\$105	\$3,444



TRIMMERS / BRUSH CUTTERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
HHT25SL	GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Shoulder Harness Std.	\$429	\$0	\$429
HHT25SU	GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$599	\$0	\$599
HHT35SU	GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Professional Double Loop Harness Std.	\$699	\$20	\$679



HONDA VERSATTACH

MODEL	DESCRIPTION	All-In Price*	OFA Member Discount	**OFA Member Price
POWER HEADS				
UMC425	GX25, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.	\$459	\$0	\$459
UMC435	GX35, Mini 4-Stroke, Loop Handle, SureLoc™ Locking system, Safety Goggles & Shoulder Harness Std.	\$539	\$0	\$539
ATTACHMENTS				
SSBCC	Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105").	\$169	\$0	\$169
SSHHC	Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$269	\$0	\$269
SSHLC	Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$299	\$0	\$299
SSBLC	Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).	\$169	\$0	\$169
SSETC	Edger (curved shaft); Blade length 20 cm (7.87"), Height adjustment function.	\$219	\$0	\$219
SSCLC	Cultivator; Tine diameter 24 cm (9.4"), Tilling width 16.6 cm (6.5").	\$299	\$0	\$299
SSPPC	Pruner; Guide bar length 30.5 cm (12"), Automatic oiler with flow rate adjustment, Translucent oil reservoir.	\$269	\$0	\$269
SSESSC	Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach	\$109	\$0	\$109
SSESLC	Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach	\$119	\$0	\$119
SSBRC	Bristle Brush; Diameter 25 cm (9.8"), Working width 60 cm (23.6"), Total weight (Attachment complete with deflector and shaft tube) 6.3 kg (13.8 lb.).	\$479	\$0	\$479
SSSWC	Power Sweeper; Diameter 26.5 cm (10.4"), Working width 59 cm (22.3"), Total weight (Attachment complete with deflector and shaft tube) 7.2 kg (15.8 lb.).	\$449	\$0	\$449



*INCLUDES FREIGHT & PDI - TAXES EXTRA

Ontario Federation of Agriculture (OFA) - PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2023

****The OFA Member price includes all promotional discounts in effect at the time of purchase**

This OFA Member discount cannot be combined with any other advertised discounts



SNOWBLOWERS

MODEL	DESCRIPTION	Selling Price*	OFA Member Discount	**OFA Member Price
HS720C	20", Single Stage, GC190 Eng., Snow Director Dual Chute Control	\$1,079	\$0	\$1,079
HS720CS	20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control	\$1,229	\$0	\$1,229
HS720CC	20", Single Stage, GS190 Eng. High performance / lightweight commercial unit	\$1,179	\$33	\$1,146
HSS622CTD1	22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,929	\$83	\$2,846
HSS724CT	24" Track drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,739	\$108	\$3,631
HSS724CTD	24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,189	\$121	\$4,068
HSS928CW	28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height.	\$3,789	\$109	\$3,680
HSS928CT	28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,339	\$126	\$4,213
HSS928CTD	28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,789	\$139	\$4,650
HSS1332CT	32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,999	\$145	\$4,854
HSS1332CTD	32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$5,199	\$151	\$5,048
HSM1336iCTD	36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector	\$9,229	\$272	\$8,957



*INCLUDES FREIGHT & PDI - TAXES EXTRA