



Ontario Federation of Agriculture (OFA) PRICE LIST

PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL OCTOBER 31, 2018

*The OFA Member price includes all promotional discounts in effect at the time of purchase, see dealer for details.

This OFA Member discount cannot be combined with any other advertised discounts.

GENERATORS					
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price	
EU1000i	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability	\$1,099	\$110	\$989	
EU2200	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,399	\$140	\$1,259	
EU2200 (Companion)	Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,499	\$150	\$1,349	
EG2800iC	Manual start, lightweight inverter, 30A receptacle, fuel gauge, 8 L tank	\$1,399	\$140	\$1,259	
EU3000iK	Manual Start, 12 VDC Charge Cable Std., Built-in Wheels, Unique Folding Handle, Recessed Convenience Light, Built-in hourmeter	\$2,799	\$306	\$2,493	
EU3000is	Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits	\$2,599	\$302	\$2,297	
EU7000is	Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco- Throttle Std., Large tank (19.2 L), Dual Voltage, Parallel capability with another EU7000iSC (Optional parallel box kit required), Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits	\$4,999	\$350	\$4,649	
EP2500	Manual Start, Large tank (14.5 L), Oil Alert Std., AVR Std.	\$899	\$118	\$781	
EG5000	Manual Start, Large tank (24 L), Dual Voltage, Digital AVR, Full Frame protection	\$1,999	\$240	\$1,759	
EG6500	Manual Start, Large tank (24 L), Dual Voltage, Digital AVR, Full Frame protection	\$2,199	\$244	\$1,955	
EM3000	Manual Start, 12 VDC charging	\$1,929	\$193	\$1,736	
EB5000	Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding	\$2,699	\$270	\$2,429	
EM5000S	Handles Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles, 12 VDC charging	\$2,899	\$290	\$2,609	

PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES.

EB6500	Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$3,199	\$320	\$2,879		
EM6500S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding	\$3,399	\$340	\$3,059		
EB10000	Handles, 12 VDC charging Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles	\$5,999	\$600	\$5,399		
	WATER PUMPS					
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List		
	VOLUME PUMPS					
WX10 WX15	25.4 mm (1 in.), output 120 litres (26.4 lmp. gal.) / min., 1" NPT- $\frac{3}{4}$ " garden hose adapter included 1.5 in., Oil Alert	\$529 \$649	\$100 \$0	\$429 \$649		
WB20	Deluxe 2 in., Oil Alert, Hose strainer included	\$529	\$111	\$418		
WB30	Deluxe 3 in., Oil Alert, Hose strainer included	\$699	\$70	\$629		
HIGH PRESSURE PUMPS						
WH15	1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)	\$829	\$83	\$746		
WH20	2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)	\$929	\$93	\$836		
	CHEMICAL PUMP					
WMP20	2 in., Multi-purpose centrifugal self-priming (over 70 industrial & agricultural liquid chemicals), Oil Alert, Output 833 litres (183 lmp. gal.) / min capacity, Isolation mounted engine & pump, Full frame protection	\$679	\$68	\$611		
TRASH PUMPS						
WT20	2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.	\$1,699	\$170	\$1,529		
WT30	3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.	\$2,099	\$210	\$1,889		
WT40	4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.	\$2,699	\$270	\$2,429		

LAWNMOWERS

MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List		
	21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS					
HRS216PKC	GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation	\$389	\$0	\$389		
	21" STEEL DECK - REAR BAG / MULCHING MODELS					
HRR216PKC	GCV160, Push, Auto choke, MicroCut, EZ folding Handle, 3-in-1 mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation.	\$589	\$90	\$499		
HRR216VKC	GCV160, Self propelled; Variable speed Trans., Auto choke, MicroCut, EZ folding Handle, 3-in-1mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation.	\$689	\$50	\$639		
HRR216VYC	GCV160, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, EZ folding Handle, 3-in-1mowing system; bagging, twin-blades mulching or rear discharge with the production 2 in 1 Oliv Directors.	\$769	\$70	\$699		
HRR216VLC	with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation. GCV160, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCut, EZ folding Handle, 3-in-1mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation.	\$789	\$90	\$699		
21" NEXITE DECK - REAR BAG / "VERSAMOW"						
HRX217HYC	GCV190, Self propelled; Hydrostatic Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop	\$999	\$150	\$849		
HRX217HZC	System, MicroCut, 4 in 1, CARB tier 3 Regulation GCV190, 12 VDC Elec. Start, Self propelled; Hydrostatic Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, 4 in 1, CARB tier 3 Regulation	\$1,099	\$152	\$947		
	21" COMMERCIAL STEEL DECK - REAR BAG MODELS					
HRC216HXC	GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation	\$1,399	\$140	\$1,259		

TILLERS					
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List	
FG110	GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments	\$579	\$142	\$437	
F220	GXV57, 21.5", Mid Tine, 1 Forward Speed	\$999	\$190	\$809	
F501	GX160, 36", Mid Tine, 2 Forward Speeds & Reverse	\$1,529	\$153	\$1,376	
FR650	GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse	\$2,699	\$270	\$2,429	
FRC800	GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse	\$3,499	\$350	\$3,149	
	TRIMMERS / BRUSH CUTTERS				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List	
HHT25SL	GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Safety Goggles & Shoulder Harness Std.	\$389	\$0	\$389	
HHT25SU	GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Safety Goggles & Professional Double Loop Harness Std.	\$559	\$56	\$503	
HHT35SU	GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Safety Goggles & Professional Double Loop Harness Std.	\$659	\$66	\$593	
HONDA VERSATTACH					
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List	
MODEL UMC425CLACT	DESCRIPTION POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	M.S.R.P. \$329			
	POWER HEADS		Discount	List	
UMC425CLACT	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$329	Discount \$40	List \$289	
UMC425CLACT	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$329	Discount \$40	List \$289	
UMC425CLACT UMC435CLACT	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. ATTACHMENTS Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm	\$329 \$419	S40 \$40	List \$289 \$379	
UMC425CLACT UMC435CLACT SSBCC	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. ATTACHMENTS Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105"). Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating,	\$329 \$419 \$149	\$40 \$40 \$40 \$0	\$289 \$379 \$149	
UMC425CLACT UMC435CLACT SSBCC SSHHSC	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. ATTACHMENTS Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105"). Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°. Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating,	\$329 \$419 \$149 \$249	\$40 \$40 \$40 \$0 \$0	\$289 \$379 \$149 \$249	
UMC425CLACT UMC435CLACT SSBCC SSHHSC SSHHLC	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. ATTACHMENTS Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105"). Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°. Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°. Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model)	\$329 \$419 \$149 \$249 \$279	\$40 \$40 \$40 \$0 \$0 \$0	\$289 \$379 \$149 \$249 \$279	
UMC425CLACT UMC435CLACT SSBCC SSHHSC SSHHLC SSBLC	POWER HEADS GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std. ATTACHMENTS Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105"). Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°. Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°. Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).	\$329 \$419 \$149 \$249 \$279 \$149	\$40 \$40 \$40 \$0 \$0 \$0 \$0	\$289 \$379 \$149 \$249 \$279 \$149	

PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES.

SSESSC	Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach	\$89	\$0	\$89		
SSESLC	Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach	\$99	\$0	\$99		
SNOWBLOWERS						
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List		
HS720C HS720CS	20", Single Stage, GC190 Eng., Snow Director Dual Chute Control20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control	\$949 \$1,099	\$150 \$150	\$799 \$949		
HS720CC	20", Single Stage, GS190 Eng, High performance / lightweight commercial unit	\$1,049	\$105	\$944		
HSS622CT1	22", Track Drive, Two Stage, GX160T2 Engine, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,599	\$252	\$2,347		
HSS622CTD1	22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,749	\$255	\$2,494		
HSS724CT	24" Track drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,549	\$271	\$3,278		
HSS724CTD	24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,999	\$280	\$3,719		
HSS928CW	28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height.	\$3,599	\$272	\$3,327		
HSS928CT	28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,149	\$283	\$3,866		
HSS928CTD	28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,599	\$292	\$4,307		
HSS1332CT	32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,799	\$296	\$4,503		

HSS1332CTD	32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,999	\$300	\$4,699
HSM1336iKC	36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector	\$8,599	\$0	\$8,599

PRICES DO NOT INCLUDE FREIGHT, PDI, OR APPLICABLE TAXES.