



## **Ontario Federation of Agriculture (OFA) PRICE LIST**

## PRICING AND MEMBER DISCOUNTS IN EFFECT UNTIL AUGUST 31, 2018

\*The OFA Member price includes all promotional discounts in effect at the time of purchase, see dealer for details.

This OFA Member discount cannot be combined with any other advertised discounts.

GENERATORS				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	*OFA Member Price
EU1000i	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability	\$1,099	\$110	\$989
EU2200	Manual Start, 12 VDC Charge Cable Std., Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,399	\$140	\$1,259
EU2200 (Companion)	Manual Start, Built-in 30A twist lock outlet, Built-in hourmeter, Parallel connect capability with another EU2200iTC/iTC1 (*optional parallel operation cable required - part #08E93-HPK-123HI)	\$1,499	\$150	\$1,349
EG2800iC	Manual start, lightweight inverter, 30A receptacle, fuel gauge, 8 L tank	\$1,399	\$140	\$1,259
EU3000iK	Manual Start, 12 VDC Charge Cable Std., Built-in Wheels, Unique Folding Handle, Recessed Convenience Light, Built-in hourmeter	\$2,799	\$306	\$2,493
EU3000is	Electric Start (battery included) and Recoil as back-up, 12 VDC Charge Cable Std., Optional wheel kits	\$2,599	\$302	\$2,297
EU7000is	Electric Start with Push button Switch (battery included) and Recoil as back-up, Electronic fuel injection, Eco-Throttle Std., Large tank (19.2 L), Dual Voltage, Parallel capability with another EU7000iSC (Optional parallel box kit required), Wheel Kit Std. with Positive Lock Folding Handles, Opt. Remote Start Kits	\$4,999	\$350	\$4,649
EP2500	Manual Start, Large tank (14.5 L), Oil Alert Std., AVR Std.	\$899	\$118	\$781
EG5000	Manual Start, Large tank (24 L), Dual Voltage, Digital AVR, Full Frame protection	\$1,999	\$240	\$1,759
EG6500	Manual Start, Large tank (24 L), Dual Voltage, Digital AVR, Full Frame protection	\$2,199	\$244	\$1,955
EM3000	Manual Start, 12 VDC charging	\$1,929	\$193	\$1,736
EB5000	Manual Start, Honda-exclusive intelligent AVR (provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock	\$2,699	\$270	\$2,429
EM5000S	Folding Handles Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding Handles. 12 VDC charging	\$2,899	\$290	\$2,609
EB6500	Manual Start, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Lifting Hook, Dual Voltage, GFCI receptacles, Auto Throttle, Wheel Kit Std. with Positive Lock Folding Handles	\$3,199	\$320	\$2,879
EM6500S	Electric Start (battery included) with Recoil as back-up, Honda-exclusive intelligent AVR (Provides 7,000 watts for 10 secs. to start larger equipment), Dual Voltage, Wheel Kit Std. with Positive Lock Folding	\$3,399	\$340	\$3,059
EB10000	Handles. 12 VDC charging Electric Start (battery included), Honda-exclusive Digital AVR, Dual Voltage, GFCI receptacles, Auto Throttle, i-Monitor LCD readout, Lifting Hook, Wheel Kit Std. with Positive Lock Folding Handles	\$5,999	\$600	\$5,399

## **WATER PUMPS**

MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
	VOLUME PUMPS			
WX10 WX15	25.4 mm (1 in.), output 120 litres (26.4 lmp. gal.) / min., 1" NPT- ¾ " garden hose adapter included 1.5 in., Oil Alert	\$529 \$649	\$100 \$0	\$429 \$649
WB20	Deluxe 2 in., Oil Alert, Hose strainer included	\$529	\$111	\$418
WB30	Deluxe 3 in., Oil Alert, Hose strainer included	\$699	\$70	\$629
	HIGH PRESSURE PUMPS			
WH15	1.5 in., High Output (88 Imp. Gal. / min.), High pressure (55 psi)	\$829	\$83	\$746
WH20	2 in., High Output (110 Imp. Gal. / min.), High pressure (61 psi)	\$929	\$93	\$836
	CHEMICAL PUMP			
WMP20	2 in., Multi-purpose centrifugal self-priming (over 70 industrial & agricultural liquid chemicals), Oil Alert, Output 833 litres (183 Imp. gal.) / min capacity, Isolation mounted engine & pump, Full frame protection	\$679	\$68	\$611
	TRASH PUMPS			
WT20	2 in., Oil Alert, Output (156 Imp. Gal. / min.), Full commercial Spec.	\$1,699	\$170	\$1,529
WT30	3 in., Oil Alert, Output (266 Imp. Gal. / min.), Full commercial Spec.	\$2,099	\$210	\$1,889
WT40	4 in., Oil Alert, Output (361 Imp. Gal. / min.), Full commercial Spec.	\$2,699	\$270	\$2,429

## **LAWNMOWERS**

MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
	21" STEEL DECK - 2 in 1 - SIDE DISCHARGE MODELS			
HRS216PKC	GCV160, Push, Auto choke, 2-in-1 mowing system; side discharge or mulching, CARB tier 3 Regulation	\$389	\$0	\$389
	21" STEEL DECK - REAR BAG / MULCHING MODELS			
HRR216PKC	GCV160, Push, Auto choke, MicroCut, EZ folding Handle, 3-in-1 mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation.	\$589	\$90	\$499
HRR216VKC	GCV160, Self propelled; Variable speed Trans., Auto choke, MicroCut, EZ folding Handle, 3-in-1 mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®, CARB tier 3 Regulation.	\$689	\$50	\$639
HRR216VYC	GCV160, Self propelled; Variable speed Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, EZ folding Handle, 3-in-1mowing system; bagging, twin-blades mulching or rear	\$769	\$70	\$699
HRR216VLC	discharge with the exclusive 3-in-1 Clip Director®. CARB tier 3 Regulation. GCV160, Self-charging 12 VDC Elec. key Start, Self propelled; Variable speed Trans., Auto choke, MicroCut, EZ folding Handle, 3-in-1 mowing system; bagging, twin-blades mulching or rear discharge with the exclusive 3-in-1 Clip Director®. CARB tier 3 Regulation.	\$789	\$90	\$699
	21" NEXITE DECK - REAR BAG / "VERSAMOW"			
HRX217HYC	GCV190, Self propelled; Hydrostatic Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop	\$999	\$150	\$849
HRX217HZC	System, MicroCut, 4 in 1, CARB tier 3 Regulation GCV190, 12 VDC Elec. Start, Self propelled; Hydrostatic Trans., Auto choke w Full Throttle Control, Roto-Stop; Blade Stop System, MicroCut, 4 in 1, CARB tier 3 Regulation	\$1,099	\$152	\$947
	21" COMMERCIAL STEEL DECK - REAR BAG MODELS			
HRC216HXC	GGXV160, Self propelled; Hydrostatic Trans., Roto-Stop; Blade Stop System, MicroCut, Front Bumper & Deck Guards Std., CARB tier 3 Regulation	\$1,399	\$140	\$1,259

	TILLLING			
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
FG110	GX25, Mini 4-Stroke, 9" Mid Tine, 1 Forward Speed, Opt. Attachments	\$579	\$142	\$437
F220	GXV57, 21.5", Mid Tine, 1 Forward Speed	\$999	\$190	\$809
F501	GX160, 36", Mid Tine, 2 Forward Speeds & Reverse	\$1,529	\$153	\$1,376
FR650	GX160, 20", Rear Tine (Active Rotary System), 2 Forward Speeds and Reverse	\$2,699	\$270	\$2,429
FRC800	GX240, 20", Rear Tine Commercial Tiller, 3 Forward Speeds & Reverse	\$3,499	\$350	\$3,149
	TRIMMERS / BRUSH CUTTERS			
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
HHT25SL	GX25, Tap & go, Straight Shaft, Loop Handle, Ultra Quiet Line, Safety Goggles & Shoulder Harness Std.	\$389	\$0	\$389
HHT25SU	GX25, Tap & go, Straight Shaft, Bike Handle, Ultra Quiet Line, 4-Tooth Steel Blade Std., Safety Goggles & Professional Double Loop Harness Std.	\$559	\$56	\$503
HHT35SU	GX35, Manual Feed, Straight Shaft, Bike Handle, Ultra Quiet Line, 50-Tooth Steel Blade Std., Safety Goggles & Professional Double Loop Harness Std.	\$659	\$66	\$593
	HONDA VERSATTACH			
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
UMC425CLACT	<u>POWER HEADS</u> GX25, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$329	\$40	\$289
UMC435CLACT	GX35, Mini 4-Stroke, Loop Handle, SureLocTM Locking system, Safety Goggles & Shoulder Harness Std.	\$419	\$40	\$379
	ATTACHMENTS			
SSBCC	Brush Cutter; 2-Line Bump feed cutting head, Cutting swath of 42 cm (16.5"), Trimmer line diameter 2.7 mm (0.105").	\$149	\$0	\$149
SSHHSC	Hedge Trimmer (Articulating, Short; length 89.5 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$249	\$0	\$249
SSHHLC	Hedge Trimmer (Articulating, Long; length 140 cm); Blade length 55 cm, Double-sided-Double reciprocating, Total articulating range 108°.	\$279	\$0	\$279
SSBLC	Blower; *Max. air speed 296/315 km/h, *Max. air volume 235-250 cfm (*depending of the power head model used).	\$149	\$0	\$149
SSETC	Edger (curved shaft); Blade length 20 cm (7.87"), Height adjustment function.	\$199	\$0	\$199
SSCLC	Cultivator; Tine diameter 24 cm (9.4"), Tilling width 16.6 cm (6.5").	\$279	\$0	\$279
SSPPC	Pruner; Guide bar length 30.5 cm (12"), Automatic oiler with flow rate adjustment, Translucent oil reservoir.	\$249	\$0	\$249
SSESSC	Extension (Short; length 50 cm (19.7 in.)), extra reach for selected attachments VersAttach	\$89	\$0	\$89
SSESLC	Extension (Long; length 1 m (39.4 in.)), extra reach for selected attachments VersAttach	\$99	\$0	\$99

**TILLERS** 

SNOWBLOWERS				
MODEL	DESCRIPTION	M.S.R.P.	OFA Member Discount	OFA Member Price List
HS720C HS720CS	<ul><li>20", Single Stage, GC190 Eng., Snow Director Dual Chute Control</li><li>20", Single Stage, GC190 Eng., 120 VAC Electric Start, Snow Director Dual Chute Control</li></ul>	\$949 \$1,099	\$0 \$0	\$949 \$1,099
HS720CC	20", Single Stage, GS190 Eng, High performance / lightweight commercial unit	\$1,049	\$105	\$944
HSS622CT1	22", Track Drive, Two Stage, GX160T2 Engine, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,599	\$260	\$2,339
HSS622CTD1	22", Track Drive, Two Stage, GX160T2 Engine, 12 VDC Electric Start with manual recoil back-up, 2 Forward Gear Transmission with Reverse, Chute-Mounted Control Handle, Work Light	\$2,749	\$275	\$2,474
HSS724CT	24" Track drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,549	\$355	\$3,194
HSS724CTD	24" Track Drive, Two Stage, GX200T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Improved snow removal performance, Improved ergonomics, Improved Traction	\$3,999	\$400	\$3,599
HSS928CW	28" Wheel Drive (15" Directional tread Tire), Two Stage, GX270T2 Engine, Hydrostatic Transmission with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Batteryless), Oversized Auger Housing Height.	\$3,599	\$360	\$3,239
HSS928CT	28" Track Drive, Two Stage, GX270T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,149	\$415	\$3,734
HSS928CTD	28" Track Drive, Two Stage, GX270 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,599	\$460	\$4,139
HSS1332CT	32" Track Drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, LED Work Light, Remote Electric Chute with Joystick Control (Battery-less), Oversized Auger Housing Height, Gas-assist Auger Height System, Low noise Muffler with deflector, Improved snow removal performance, Improved ergonomics, Improved Traction,	\$4,799	\$480	\$4,319
HSS1332CTD	32" Track drive, Two Stage, GX390T2 Eng., Hydrostatic Trans. with Steering Assist Drive System, 12 VDC Electric Start with manual recoil as back-up, LED Work Light, Remote Electric Two-step Chute with Joystick Control, Oversized Auger Housing Height, Gas-assist Auger Height System, Shear bolt Guard System, Low noise Muffler with deflector, Hourmeter, Improved snow removal performance, Improved ergonomics, Improved Traction	\$4,999	\$500	\$4,499
HSM1336iKC	36", Two stage, New iGX390 Eng., Hybrid, 24 VDC Electric Start, Work Light, Electric Chute Control & Auger Height Adjuster, New control Panel with snow clearing Mode, New Rear Cover design, Low noise Muffler with deflector	\$8,599	\$0	\$8,599